

# APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office APR 30 1992

Returned to applicant for correction.....

Corrected application filed.....

Map filed APR 30 1992The applicant Karen D. Dorman1500 E. Tropicana, Suite 110, of Las Vegas,  
Street and No. or P.O. Box No. City or TownNevada 89119, hereby make.... application for permission to appropriate the public  
State and Zip Code No.waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a  
copartnership or association, give names of members.).....1. The source of the proposed appropriation is Underground  
Name of stream, lake, spring, underground or other source2. The amount of water applied for is .0208 second-feet  
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet.....

3. The water to be used for Quasi-Municipal  
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation, state number of acres to be irrigated.....

(b) Stockwater, state number and kinds of animals to be watered.....

(c) Other use (describe fully under No. 12. "Remarks").....

(d) Power:

(1) Horsepower developed.....

(2) Point of return of water to stream.....

5. The water is to be diverted from its source at the following point The SE $\frac{1}{4}$  of the NW $\frac{1}{4}$  Section 24,  
Describe as being within a 40-acre subdivision of public  
T22S, R61E, MDB&M. or at a point from which the C $\frac{1}{4}$  corner of Section 24, T22S,  
survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.R61E. M.D.B.&M. bears a bearing of N 22°14'03" W and a distance of 498.87 feet.6. Place of use Lot #3 as shown in Record of Parcel Maps, File 26, Page 54. A ptn. of  
Describe by legal subdivision. If on unsurveyed land, it should be so stated.SE $\frac{1}{4}$ , SE $\frac{1}{4}$ , NW $\frac{1}{4}$  of Sec. 24, T22S, R61E, M.D.B.&M.7. Use will begin about January 1st and end about December 31st, of each year.  
Month and Day Month and Day8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and  
specifications of your diversion or storage works.) To convert an existing well to Quasi-  
Quasi-Municipal. Existing 8" incase- State manner in which water is to be diverted, i.e. diversion structure, ditches and  
ment with 3 H.P. pump & 2nd holding tank. One 80 gal tank. Proposed water meter.  
flumes, drilled well with pump and motor, etc.

9. Estimated cost of works.....\$8,000.00

10. Estimated time required to construct works.....Upon approval of permit.  
If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use.....same as #10

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use:

Existing well in for home under construction, 2nd home upon recording of  
new Parcel Map.

By s/D. Ray Martinez  
1500 E. Tropicana, #110  
Las Vegas, Nevada 89119

Compared.....bc/bc.....ab/se

Protested.....

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed.....0.0208.....cubic feet per second., but not to exceed 0.73  
million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before.....March 16, 1995

Proof of completion of work shall be filed before.....April 16, 1995

Application of water to beneficial use shall be filed on or before.....March 16, 1998

Proof of the application of water to beneficial use shall be filed on or before.....April 16, 1998

Map in support of proof of beneficial use shall be filed on or before.....N/A

Completion of work filed.....JUL 12 1995

Proof of beneficial use filed.....

Cultural map filed.....

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.  
State Engineer of Nevada, have hereunto set my hand and the seal of my

office, this.....16th day of.....March

A.D. 1993

*R. Michael Turnipseed, P.E.*  
State Engineer

Certificate No. JUL 14 1998 Issued  
CANCELLED JUL 14 1998 BECAUSE OF FAILURE  
OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT  
*R. Michael Turnipseed, P.E.*  
STATE ENGINEER